

1/14

FIG. 1




FIG. 2 A




FIG. 2 B






FIG. 3




F I G. 4




EXAMPLE OF LAYER THICKNESS DISTRIBUTION
OF COATING FILM GENERATED IN THE CASE OF
COATING ON ENTIRE SURFACE (STRIPE PATTERN)
(VARIATION OF CONTACTED LIQUID PORTION HAS
INFLUENCE ON LAYER THICKNESS DISTRIBUTION)

F I G. 5



EXAMPLE OF LAYER THICKNESS DISTRIBUTION OF
COATING FILM GENERATED IN THE CASE OF
PARTIAL COATING
(VARIATION OF CONTACTED LIQUID PORTION IS
ABSORBED BY NON-PIXEL-FORMING AREAS)

F I G. 6



7/14

FIG. 7 A




FIG. 7 B




FIG. 8 A PATTERNING OF ANODE




FIG. 8 B PEDOT COATING (SPIN COATING)




FIG. 8 C BAKING




FIG. 9 A COATING




FIG. 9 B PATTERNING





FIG. 9 C OFFSET



10/14

FIG. 10 A




FIG. 10 B






FIG. 10 C



11/14

FIG. 11



F I G. 1 2





FIG. 13

70

13/14



14/14

F I G. 1 4

